

## APPENZELLER TURF

True to nature green or in your favorite color. Extremely durable. Easy to maintain. Pleasant to touch.











Big window fronts, wide roof tops: indoor and outdoor spaces merge together. Floor coverings with new functional qualities create transitions, set accents, guide the stream of visitors and give a feel of wellbeing. They are easy to maintain, resist the sun, wind and weather and retain their appeal for years to come.

In 2005, the first TISCA TIARA soccer field was installed in Buehler. Today, Arsenal London and Austria Wien are playing on our turfs. Over the years, we have further developed the range of turf products. TISCA TIARA turfs stand the test of time on tennis courts, golf courses, factory areas, roof tops, hotel grounds, in showrooms, pools, playgrounds and at trade fairs. They can be found everywhere where beauty and design possibilities are as important as functionality, durability and easy care.







Taking a road trip through the Appenzell, perhaps hiking up to one of the many view point restaurants, one cannot help but notice the many shades of green marking the beauty of this verdant landscape. Green in all hues: from dark to light, from intense to soft and delicate.

We at TISCA TIARA live and work here in the Appenzell and draw from our surroundings to create turfs with a look as close to nature as possible. The tousled blades in intense greens and light brown hues, the novel fiber, the pile construction and the multilayered structure give our turfs a natural look, whether viewed from far away or up-close. The turfs are pleasant to the touch yet extremely durable. TISCA TIARA products are highly resistant to acid rain, snow and ice. They retain color and form even when exposed to scorching heat. They are easy to maintain and pleasant to walk on and to play on.

Appenzeller turfs are available in various qualities, pile heights and thicknesses. Thus, TISCA TIARA can meet all the requirements for specific field applications. Backing materials and density of the blades can equally be varied as colors and special designs.



































before

after







## GIARDINO COLOR

Does a turf have to be green? There are turfs of all colors in the Appenzell: from turquoise to fuchsia to deep red, from elegant grey to granite. Unexpected design possibilities open up for places like terraces, balconies, offices, guest entrances and the occasional request for a red carpet.





grigio







barolo





marrone



A play of colors.

















































cenere

## TIARA ENTRADA

Everywhere where indoor and outdoor merge together: in the entrance area of a hotel, on the terrace leading to the indoor pool, in public buildings or areaways, where there is a visitor flow or where a room is being divided.

High durability, safety and firm grip even when whet.With the look and feel of a carpet. Available in captivating colors offering endless combination possibilities and an unexpected scope of design.

When inside and outside can no longer be defined.











castagno



carbone



соссо



rosso



grün











# APPENZELLER TURF - Overview



## T-TURF ALL IN ONE

| Pile height       | 34 mm                          |
|-------------------|--------------------------------|
| Total thickness   | 36 mm                          |
| Material          | PA-Monofilament with           |
|                   | antistatic / HCSS              |
|                   | Monofilament (PA/PE)           |
| Pile weight       | 4020 g/m <sup>2</sup>          |
| Total weight      | 5850 g/m²                      |
| Pile volume ratio | 0.110 g/cm <sup>3</sup>        |
| Construction      | 3-layered                      |
|                   | (Triple T-Technology)          |
|                   | + T1 DeLuxe                    |
| Backing           | glass-fiber / PES /            |
|                   | PP-weave, 360 g/m <sup>2</sup> |
| Sec. backing      | latex,                         |
|                   | waterproof, perforated         |
| Water perm.       | > 2160 mm/h                    |
|                   | resp. 40 liters/min/m²         |
| Tuft anchorage    | >40 N                          |
| Lightfast         | yes, 7/8 (blue scale)          |
| UV protection     | yes                            |
| Specifics         | integrated shock absorption    |
|                   | from 55%, Patent pending       |
| Made in           | Urnaesch (AR), Switzerland     |
|                   |                                |

### Application:

Highly frequented indoor and outdoor areas, playgrounds, multi-sport fields, gardens and landscapes, balconies, terraces, winter gardens, roof tops, pool-surrounds, trade fairs, events etc.





## TIARA FORTF77A

| HANATONTEZZA      |                                |  |  |  |
|-------------------|--------------------------------|--|--|--|
| Pile height       | 34 mm                          |  |  |  |
| Total thickness   | 36 mm                          |  |  |  |
| Material          | PA-Monofilament with           |  |  |  |
|                   | antistatic / HCSS              |  |  |  |
|                   | Monofilament (PA/PE)           |  |  |  |
| Pile weight       | 2830 g/m <sup>2</sup>          |  |  |  |
| Total weight      | 4600 g/m <sup>2</sup>          |  |  |  |
| Pile volume ratio | 0.073 g/cm <sup>3</sup>        |  |  |  |
| Construction      | 3-layered                      |  |  |  |
|                   | (Triple T-Technology)          |  |  |  |
|                   |                                |  |  |  |
| Backing           | glass-fiber / PES /            |  |  |  |
|                   | PP-weave, 360 g/m <sup>2</sup> |  |  |  |
| Sec. backing      | latex,                         |  |  |  |
|                   | waterproof, perforated         |  |  |  |
| Water perm.       | >2160 mm/h                     |  |  |  |
|                   | resp. 40 liters/min/m²         |  |  |  |
| Tuft anchorage    | >40 N                          |  |  |  |
| Lightfast         | yes, 7/8 (blue scale)          |  |  |  |
| UV protection     | yes                            |  |  |  |
| Specifics         | HCSS Patent                    |  |  |  |
|                   |                                |  |  |  |

Made in

Application: Highly frequented indoor and outdoor areas, gardens and landscapes, playgrounds, multisport fields, balconies, terraces, winter gardens, roof tops, pool-surrounds, trade fairs, events, etc.

Urnaesch (AR), Switzerland





## TIARA CAMPO

| Pile height       | 30 mm                          |  |  |  |  |
|-------------------|--------------------------------|--|--|--|--|
| Total thickness   | 32 mm                          |  |  |  |  |
| Material          | PA-Monofilament with           |  |  |  |  |
|                   | antistatic / PE Mono-          |  |  |  |  |
|                   | filament (C + Diamond)         |  |  |  |  |
| Pile weight       | 2610 g/m <sup>2</sup>          |  |  |  |  |
| Total weight      | 4350 g/m <sup>2</sup>          |  |  |  |  |
| Pile volume ratio | 0.083 g/cm <sup>3</sup>        |  |  |  |  |
| Construction      | 3-layered                      |  |  |  |  |
|                   | (Triple T-Technology)          |  |  |  |  |
|                   |                                |  |  |  |  |
| Backing           | glass-fiber / PES /            |  |  |  |  |
|                   | PP-weave, 360 g/m <sup>2</sup> |  |  |  |  |
| Sec. backing      | latex,                         |  |  |  |  |
|                   | waterproof, perforated         |  |  |  |  |
| Water perm.       | >2160 mm/h                     |  |  |  |  |
|                   | resp. 40 liters/min/m²         |  |  |  |  |
| Tuft anchorage    | >40 N                          |  |  |  |  |
| Lightfast         | yes, 7/8 (blue scale)          |  |  |  |  |
| UV protection     | yes                            |  |  |  |  |
| Specifics         |                                |  |  |  |  |
|                   |                                |  |  |  |  |
| Made in           | Urnaesch (AR), Switzerland     |  |  |  |  |

Application:

## Highly frequented indoor and outdoor areas, gardens and landscapes, playgrounds, multisport fields, balconies, terraces, winter gardens, roof tops, pool-surrounds, trade fairs, events etc.

| ←        |             | TISC | CA T   |     | CLA      | SSIF   |      | ION       |            |
|----------|-------------|------|--------|-----|----------|--------|------|-----------|------------|
|          | WEARABILITY |      |        | CON | IFOF     | T      |      |           |            |
| extrem 1 | intense     | high | medium | low | moderate | medium | high | luxurious | prestige . |



| TIARA PRATO       |                         |  |  |  |
|-------------------|-------------------------|--|--|--|
| Pile height       | 20 mm                   |  |  |  |
| Fotal thickness   | 22 mm                   |  |  |  |
| Material          | PA / PE,                |  |  |  |
|                   | 100% Monofilament,      |  |  |  |
|                   | antistatic              |  |  |  |
| Pile weight       | 1980 g/m²               |  |  |  |
| Fotal weight      | 3400 g/m²               |  |  |  |
| Pile volume ratio | 0.071 g/cm <sup>3</sup> |  |  |  |
| Construction      | 3-layered               |  |  |  |
|                   | (Triple T-Technology)   |  |  |  |
|                   |                         |  |  |  |

| Backing        | multi-layered,         |  |  |  |  |
|----------------|------------------------|--|--|--|--|
|                | synthetic backing      |  |  |  |  |
| Sec. backing   | latex,                 |  |  |  |  |
|                | waterproof, perforated |  |  |  |  |
| Water perm.    | >2160 mm/h             |  |  |  |  |
|                | resp. 40 liter/min/m²  |  |  |  |  |
| Tuft anchorage | >40 N                  |  |  |  |  |
| Lightfast      | yes, 7/8 (blue scale)  |  |  |  |  |
| UV protection  | yes                    |  |  |  |  |
| Specifics      | VKF 5.3 / CfI-S1       |  |  |  |  |
|                |                        |  |  |  |  |

### Made in Urnaesch (AR), Switzerland

### Application:

Highly frequented indoor and outdoor areas, gardens and landscapes, balconies, terraces, winter gardens, roof tops, pool-surrounds, trade fairs, events etc.





## TIARA TERRENO

| Pile height     | 25 m |
|-----------------|------|
| Total thickness | 27 m |
| Material        | PE,  |
|                 | 1009 |
|                 |      |

| Pile weight       | 1140 g/m²               |  |  |  |
|-------------------|-------------------------|--|--|--|
| Total weight      | 2500 g/m²               |  |  |  |
| Pile volume ratio | 0.037 g/cm <sup>3</sup> |  |  |  |
| Construction      | 2-layered               |  |  |  |

| multi-layered,         |  |  |  |  |
|------------------------|--|--|--|--|
| synthetic backing      |  |  |  |  |
| latex,                 |  |  |  |  |
| waterproof, perforated |  |  |  |  |
| > 2160 mm/h            |  |  |  |  |
| resp. 40 liter/min/m²  |  |  |  |  |
| >40 N                  |  |  |  |  |
| yes, 7/8 (blue scale)  |  |  |  |  |
| ves                    |  |  |  |  |
|                        |  |  |  |  |

## Made in

### Application:

Balconies, terraces, winter gardens, poolsurrounds, trade fairs, events etc.





nm

nm

% Monofilament

Urnaesch (AR), Switzerland



| -                 |                         |
|-------------------|-------------------------|
| Pile height       | 12 mm                   |
| Total thickness   | 14 mm                   |
| Material          | PA,                     |
|                   | 100% Monofilament       |
|                   |                         |
| Pile weight       | 1460 g/m²               |
| Total weight      | 3000 g/m²               |
| Pile volume ratio | 0.100 g/cm <sup>3</sup> |

1-layered

TIARA NOBILE

Construction

| Backing        | glass-fiber / PES /            |  |  |  |
|----------------|--------------------------------|--|--|--|
|                | PP-weave, 360 g/m <sup>2</sup> |  |  |  |
| Sec. backing   | latex,                         |  |  |  |
|                | waterproof, perforated         |  |  |  |
| Water perm.    | >2160 mm/h                     |  |  |  |
|                | resp. 40 liter/min/m²          |  |  |  |
| Tuft anchorage | >40 N                          |  |  |  |
| Lightfast      | yes, 7/8 (blue scale)          |  |  |  |
| UV protection  | yes                            |  |  |  |
| Specifics      | VKF 5.3 / CfI-S1               |  |  |  |
|                |                                |  |  |  |
| Made in        | Urnaesch (AR), Switzerland     |  |  |  |

### Application:

Highly frequented indoor and outdoor areas, gardens and landscapes, balconies, terraces, winter gardens, roof tops, pool-surrounds, trade fairs, events etc.

| 4      | TISCA TIARA - CLASSIFICATION |      |        |     |          |        |      |           | 1        |
|--------|------------------------------|------|--------|-----|----------|--------|------|-----------|----------|
|        | WEARABILITY C                |      |        |     | COI      | MFO    | RT   |           |          |
| extrem | Intense                      | high | medium | low | moderate | medium | high | luxurious | prestige |

# APPENZELLER TURF - Overview



## TIARA GIARDINO

| Pile height       | 30 mm                      |  |  |  |  |
|-------------------|----------------------------|--|--|--|--|
| Total thickness   | 32 mm                      |  |  |  |  |
| Material          | PE, 100% Monofilament,     |  |  |  |  |
|                   | antistatic                 |  |  |  |  |
| Pile weight       | 1900 g/m <sup>2</sup>      |  |  |  |  |
| Total weight      | 2900 g/m <sup>2</sup>      |  |  |  |  |
| Pile volume ratio | 0.055 g/cm <sup>3</sup>    |  |  |  |  |
| Construction      | 2-layered                  |  |  |  |  |
|                   |                            |  |  |  |  |
| Backing           | multi-layered,             |  |  |  |  |
|                   | synthetic backing          |  |  |  |  |
| Sec. backing      | latex,                     |  |  |  |  |
|                   | waterproof,                |  |  |  |  |
|                   | perforated                 |  |  |  |  |
| Water perm.       | >2160 mm/h                 |  |  |  |  |
|                   | resp. 40 liter/min/m²      |  |  |  |  |
| Tuft anchorage    | >40 N                      |  |  |  |  |
| Lightfast         | yes, 7/8 (blue scale)      |  |  |  |  |
| UV protection     | yes                        |  |  |  |  |
| Specifics         | soft touch                 |  |  |  |  |
| Made in           | Urnaesch (AR), Switzerland |  |  |  |  |

### Application:

Balconies, terraces, winter gardens, poolsurrounds, landscapes, trade fairs, events etc.



## TIARA GIARDINO COLOR

| Pile height       | 30 mm                   |  |  |  |  |
|-------------------|-------------------------|--|--|--|--|
| Total thickness   | 32 mm                   |  |  |  |  |
| Material          | PE, 100% Monofilament,  |  |  |  |  |
|                   | antistatic              |  |  |  |  |
| Pile weight       | 1900 g/m²               |  |  |  |  |
| Total weight      | 2900 g/m <sup>2</sup>   |  |  |  |  |
| Pile volume ratio | 0.055 g/cm <sup>3</sup> |  |  |  |  |
| Construction      | 2-layered               |  |  |  |  |
|                   |                         |  |  |  |  |
| Backing           | multi-layered,          |  |  |  |  |
|                   | synthetic backing       |  |  |  |  |
| Sec. backing      | latex,                  |  |  |  |  |
|                   | waterproof,             |  |  |  |  |
|                   | perforated              |  |  |  |  |

| Water perm.    | >2160 mm/h                 |  |  |  |
|----------------|----------------------------|--|--|--|
|                | resp. 40 liter/min/m²      |  |  |  |
| Tuft anchorage | >40 N                      |  |  |  |
| Lightfast      | yes, 7/8 (blue scale)      |  |  |  |
| UV protection  | yes                        |  |  |  |
| Specifics      | soft touch                 |  |  |  |
| Made in        | Urnaesch (AR), Switzerland |  |  |  |
|                |                            |  |  |  |

### Application:

Balconies, terraces, winter gardens, poolsurrounds, landscapes, trade fairs, events etc.



## TIARA VERDONE

| Pile height 23 mm |                                |  |  |  |  |
|-------------------|--------------------------------|--|--|--|--|
| Total thickness   | 25 mm                          |  |  |  |  |
| Material          | PA/PE, 100% Monofilament,      |  |  |  |  |
|                   | antistatic                     |  |  |  |  |
| Pile weight       | 1490 g/m²                      |  |  |  |  |
| Total weight      | 3600 g/m <sup>2</sup>          |  |  |  |  |
| Pile volume ratio | 0.057 g/cm <sup>3</sup>        |  |  |  |  |
| Construction      | 2-layered                      |  |  |  |  |
|                   |                                |  |  |  |  |
| Backing           | glass-fiber / PES /            |  |  |  |  |
|                   | PP-weave, 360 g/m <sup>2</sup> |  |  |  |  |
| Sec. backing      | latex,                         |  |  |  |  |
|                   | waterproof,                    |  |  |  |  |
|                   | perforated                     |  |  |  |  |
| Water perm.       | >2160 mm/h                     |  |  |  |  |
|                   | resp. 40 liter/min/m²          |  |  |  |  |
| Tuft anchorage    | >40 N                          |  |  |  |  |
| Lightfast         | yes, 7/8 (blue scale)          |  |  |  |  |
| UV protection     | yes                            |  |  |  |  |
| Specifics         | VKF 5.3 / CfI-S1               |  |  |  |  |
| Made in           | Urnaesch (AR), Switzerland     |  |  |  |  |

### Application:

Highly frequented indoor and outdoor areas, balconies, terraces, winter gardens, pool-surrounds, landscapes, trade fairs, events etc.



| TIARA EN          | FRADA                          |  |  |  |  |
|-------------------|--------------------------------|--|--|--|--|
| Pile height       | 10 mm                          |  |  |  |  |
| Total thickness   | 12 mm                          |  |  |  |  |
| Material          | PA, 100% Monofilament,         |  |  |  |  |
|                   | antistatic                     |  |  |  |  |
| Pile weight       | 1260 g/m <sup>2</sup>          |  |  |  |  |
| Total weight      | 2600 g/m <sup>2</sup>          |  |  |  |  |
| Pile volume ratio | 0.100 g/cm <sup>3</sup>        |  |  |  |  |
| Construction      | 1-layered                      |  |  |  |  |
|                   |                                |  |  |  |  |
| Backing           | glass-fiber / PES /            |  |  |  |  |
|                   | PP-weave, 360 g/m <sup>2</sup> |  |  |  |  |
| Sec. backing      | latex,                         |  |  |  |  |
|                   | waterproof,                    |  |  |  |  |
|                   | perforated                     |  |  |  |  |
| Water perm.       | > 2160 mm/h                    |  |  |  |  |
|                   | resp. 40 liters/min/m²         |  |  |  |  |
| Tuft anchorage    | >40 N                          |  |  |  |  |
| Lightfast         | yes, 7/8 (blue scale)          |  |  |  |  |
| UV protection     | yes                            |  |  |  |  |
| Specifics         | VKF 5.3 / CfI-S1               |  |  |  |  |
|                   | Urnaesch (AR), Switzerland     |  |  |  |  |

### Application:

Clean off zone for highly frequented indoor and outdoor areas, entrance areas, balconies, terraces, winter gardens, pool-surrounds, boats, landscapes, trade fairs, events etc.



### TIARA T-PLAY Pile height 21 mi

| Total thickness   | 23 m  |
|-------------------|-------|
| Material          | PA/F  |
|                   | antis |
| Pile weight       | 2060  |
| Total weight      | 400   |
| Pile volume ratio | 0.07  |
| Construction      | 3-lay |
|                   | (Trip |
| Backing           | glass |
|                   | PP-v  |
| Sec. backing      | latex |
|                   | wate  |
|                   | perf  |
| Water perm.       | > 216 |
|                   | resp  |
| Tuft anchorage    | >40   |
| Lightfast         | yes,  |
| UV protection     | yes   |
| Specifics         | VKF   |
|                   | Urna  |

## Application:

quented indoor and outdoor areas, gardens and landscapes, balconies, terraces, winter gardens, roof-tops, pool-surrounds, trade fairs, events etc.











| m                            |
|------------------------------|
| m                            |
| E, 100% Monofilament,        |
| tatic                        |
| ) g/m <sup>2</sup>           |
| ) g/m <sup>2</sup>           |
| 3 g/cm <sup>3</sup>          |
| ered                         |
| le T-Technology)             |
| -fiber / PES /               |
| eave, 360 g/m²               |
| ,                            |
| rproof,                      |
| orated                       |
| i0 mm/h                      |
| 40 liters/min/m <sup>2</sup> |
| N                            |
| 7/8 (blue scale)             |
|                              |
|                              |

5.3 / Cfl-S1 aesch (AR), Switzerland

Playgrounds, multi-sport fields, highly fre-





## TIARA ANIMAL TURF

| Pile height       | 20 mm                          |  |  |  |
|-------------------|--------------------------------|--|--|--|
| Total thickness   | 22 mm                          |  |  |  |
| Material          | HCSS-Monofilament              |  |  |  |
|                   | (PA/PES), smooth               |  |  |  |
| Pile weight       | 1420 g/m²                      |  |  |  |
| Total weight      | 3000 g/m²                      |  |  |  |
| Pile volume ratio | • 0.060 g/cm <sup>3</sup>      |  |  |  |
| Construction      | TIARA Quick-Drain™             |  |  |  |
|                   |                                |  |  |  |
| Backing           | glass-fiber / PES /            |  |  |  |
|                   | PP-weave, 360 g/m <sup>2</sup> |  |  |  |
| Sec. backing      | latex, waterproof,             |  |  |  |
|                   | germ-resistant,                |  |  |  |
|                   | perforated                     |  |  |  |
| Water perm.       | >2160 mm/h                     |  |  |  |
|                   | resp. 40 liters/min/m²         |  |  |  |
| Tuft anchorage    | >40 N                          |  |  |  |
| Lightfast         | yes, 7/8 (blue scale)          |  |  |  |
| UV protection     | yes                            |  |  |  |
| Specifics         | HCSS Patent                    |  |  |  |
| Made in           | Urnaesch (AR), Switzerland     |  |  |  |
|                   |                                |  |  |  |

### Application:

turf for animals

Suitable for diverse applications from recreation to activity and training. TIARA Quick-Drain<sup>™</sup> guarantees quick drainage and drying, germ-resistant secondary backing. HCSS fiber with soft coat enhances comfort and wellbeing. High resilience of the fiber core guarantees firm grip.

| 4      | TISCA TIARA - CLASSIFICATION |           |        |     |          |        |      |           |            |
|--------|------------------------------|-----------|--------|-----|----------|--------|------|-----------|------------|
|        | WEARABILITY                  |           |        |     | CO       | MFOF   | RT   |           | _          |
| extrem | intense                      | <br> high | medium | low | moderate | medium | high | luxurious | prestige . |

## TIARA BRUSH

It looks like coco and feels like coco. Yet, it's significantly more durable and easier to maintain: TIARA BRUSH. 100% suitable for the outdoors. Water absorption of 10 liters per square meter. Available in 5 colors.

The roll width of 4 meters enables the installation of large entrance areas without seaming. TIARA BRUSH is easy to maintain and can, if necessary, be cleaned with a high pressure cleaner. Its excellent acoustic properties are a valuable feature for the installation of large rooms. A hefty yarn weight, high pile density and open loop construction provide excellent sound absorption.

Coco newly invented.







Col 42 / kokos



Col 45 / marron



Col 61 / rot



Col 29 / blau



Col 16 / basalt

## TIARA ZERBINO

Everywhere where durability and high stain resistance are required TIARA ZERBINO shows its strength: as dirt trap in entrance areas, in offices, stores, schools and public buildings, trains, ski-huts and mountain stations. The coarse fibers remove the dirt from shoes and carry-on luggage while the fine fibers absorb wetness and bind the dust. Excellent flammability rating, superior acoustical properties and precision cut edges are further benefits. Available in 6 colors.

Sturdiness. Elegance. Cleanliness.







ZERBINO Col 22 / blau



ZERBINO Col 47 / kaffee



ZERBINO Col 61 / rot



ZERBINO Col 16 / anthrazit



ZERBINO Col 14 / grau



ZERBINO Col 12 / stein







## TIARA PORTABELLA

Every high traffic area gets spoiled whether it's a store, a school or an office building. The clean-off zone between the outside and the inside is of utmost importance.

TIARA PORTABELLA is a sophisticated clean-off zone system: the polyamide brushes embedded in an aluminum profile remove dirt and gravel from shoes; the high performance carpet rows absorb wetness and bind the dust. The dirt is collected in the intervening spaces from where it can easily be removed, not least by simply rolling up the system.

TIARA PORTABELLA is available in various colors and sizes. The colors of the brushes as well as the colors of the tufted high performance carpet rows can be selected individually. In addition to the standard sizes the system is available also in custom shapes and custom measures.

Neat and clean.



















## TISCA THINGS

Apart from our commitment to develop products that meet our customer's highest standards and in a more playful way our staff occasionally experiments with our carpets and fabrics to create products which can be used for other functions.

The result is a collection of whimsical creations which have become very popular. Here are some of them:

Small things that delight our heart. www.tiscathings.ch

















## **CAESAR, the Shopper** 33×18×43 cm

A bag which can be carried over the shoulder. Crafted from a whimsical artificial weave, lined with a washable canvas and an inside pocket (13x19cm) which can be closed with a Velcro fastener. Wide straps 2.5 cm, 26 cm long. Whether you find this bag attractive or not, it's an eye-catcher nonetheless and has gained a big fan crowd.









PAUL, the shopping trolley 75×25×30 cm Multifunctional, easy to handle. A true helper for carrying groceries, sports gear, tools etc.



ALEX, the bag for the soccer player 40×11×30 cm Light and spacious with studs for a good foothold. Solid and smart. A good companion for the swimming pool, the sports field and for shopping.













## **TIM, the turf ottoman** 60 x 60 cm / 85 X 85 cm / 60 x 85 cm

Light weight, with soft upholstery. Available in 3 sizes and 13 colors. 100% weatherproof. It can remain in the garden all year round, summer and winter. Dries quickly and retains its fresh and colorful look. A cheerful spot on your terrace, in the sun in your garden or simply a comfortable seat to relax.











fucsia

selva

barolo



grigio



laguna



marrone

bruna



gioiello













talpa



cenere



peperoncino





## TOM, the plant holder Ø 40 $\rm cm$

A container for all sorts of things or a pot holder to match the color of your plant.





selva

granito





fucsia

talpa



peperoncino

gioiello



barolo



bruna



verde



grigio



marrone



cenere



laguna





barolo







grigio



## HERBERT, the herb pot Ø $15\,\mathrm{cm}$

It's diameter of 15 cm allows you to grow a few herbs or a delicate little plant. You may use it to collect keys and coins. It may hold sweets or serve as storage for small things.



bruna

selva



cenere



laguna





fucsia

talpa

verde

peperoncino





marrone



granito

## Why it pays to choose TISCA TIARA products



## **Excellent quality**

Our products meet the rigorous demands of high performance environments in the sports turf market. Secure footing, firm grip as well as ball roll behavior on sports fields are as important as a nature-like look and an efficient water runoff. Not least: TISCA TIARA's turf products are odorless.

## Durability and endurance

Raw materials of the best quality and pigment dyed fibers coupled with our very own backing layers, developed and manufactured in house, guarantee a long life span. The TISCA TIARA backing layers are highly resistant to acid, variations in temperature and wetness. They retain their original form and do not distort. With TISCA TIARA backing layers there will be no buckling, no discoloration and no mechanical damage which is a common problem with ordinary backing layers.

## The sophisticated product range

TISCA TIARA is one of the pioneers in outdoor turfs and has succeeded in extending its lead over the years. In particular, we have developed an impressive range of new products in order to fill the demand of turfs for specific needs. A very important step, not least to be able to offer the best suitable product for diverse requirements such as a garden show, a public building or a factory area with a clever assortment of TISCA TIARA products.

## Easy installation

In order to enhance the look and to achieve the desired comfort as well as the necessary stability, competitive products have to comply with specific requirements. Thus, turfs are being filled with granules or sand. Not so with TISCA TIARA turf products: built on the know-how and expertise of our staff, in particular with regard to the tufting and backing, we can offer the best integral turf system on the market worldwide.

## Easy care and low maintenance cost

TISCA TIARA's outdoor coverings are manufactured with stain resistant fibers. Ketchup spilled on the floor is no longer a disaster. Still, the turfs require regular vacuuming and cleaning. If necessary, the high resilience of TISCA TIARA's turfs allows the use of a high pressure cleaner or a snow blower.

## TISCA TIARA We create rooms for your life's dream.





TISCA TIARA dresses living spaces. As a full-service provider of high quality textiles for indoors and outdoors, we produce textile floor coverings, curtains, upholstery and decorative fabrics for the residential, public and transport sectors as well as sports floors. It is not just skill and knowledge, competence and experience that go into products from TISCA TIARA but also an insatiable passion for everything we do – TEXTILE PASSION.